



**BUILT TO OUTLAST & OUTPERFORM**

# SPARE PARTS

CATALOGUE VOL. 10

1 June 2022



***Get your equipment ready for the upcoming season.***

SHANK ASSEMBLIES | POINTS | SHIN GUARDS | FRAME COMPONENTS  
DEPTH WHEELS | CANE EQUIPMENT | MULCH BLADES | SHEAR PINS | SHANKS

20 Molloy Street, Toowoomba QLD Australia

1800 154 654

# AUSTRALIAN-OWNED GESSNER IS A MARKET LEADER WITH A REPUTATION FOR PRODUCING AGRICULTURAL & EARTHMOVING EQUIPMENT WITH UNRIVALLED STRENGTH & QUALITY.

## AGRICULTURE RANGE



We build our broadacre, row crop and sugarcane equipment to outlast and outperform in even the harshest conditions. The strength, reliability and quality of our range of farm equipment is what sets us apart from the rest.

Our quality range of rippers, planters, cultivators, fertiliser systems, and more will help you get the job done faster and better every time.

## EARTHMOVING RANGE



We know how important it is to you to keep your earthmoving equipment moving, so we build our attachments for maximum durability, so that you spend less time and money on maintenance and repairs, and considerably less downtime.

Our range of stick rakes, dozer canopies, blades, rippers, cutterbars, and more will provide you with high performance equipment to make your job easier, which is why we are trusted by CAT, Komatsu, and hundreds of earthmoving businesses, big and small, throughout Australia.

### OUTLAST & OUTPERFORM

At Gessner, we build our machinery to outlast and outperform in even the harshest conditions, so that you can keep going year after year.

### MAXIMUM DURABILITY

Our equipment is built for maximum durability, giving you lower maintenance and repair costs, and less downtime.

### RETURN ON INVESTMENT

Gessner's range of farm and earthmoving equipment are well-known for their high resale value. Our professional staff are here to help you maximise your productivity and profitability.

### INNOVATION

As market leaders in innovation, quality and durability, our full-time specialised engineering and design department can customise equipment to meet your needs.



**BUILT TO OUTLAST & OUTPERFORM**



**A77 Shank System**


- Fits 178mm x 178mm Toolbar
- Adjustable Underframe Clearance: 710mm to 825mm
- Shear Pin 5 Tonne Breakout
- Suitable for all heavy duty applications including rowcrop, cotton, sugarcane and vegetables.
- Specially developed for high under-frame clearance and deep placement of fertiliser.
- Accepts all standard accessories
- Approximate weight: 54kg

Part No: 7014-019

**\$980.00** +GST**A77 Extra Heavy-Duty Shank System**

- Fits 178mm x 178mm Toolbar
- Features extra heavy-duty shank adjuster for added durability.
- Adjustable Underframe Clearance: 710mm to 825mm
- Shear Pin 5 Tonne Breakout
- Suitable for all heavy duty applications including rowcrop, cotton, sugarcane and vegetables.
- Specially developed for high under-frame clearance and deep placement of fertiliser.
- Accepts all standard accessories
- Approximate weight: 59kg

Part No: 7014-045

**\$1,040.00** +GST**Adjustable Clydesdale Shank System**

- Fits 178mm x 178mm Toolbar
- Adjustable Underframe Clearance: 750mm to 900mm
- Shear Pin 8 Tonne Breakout
- Suitable for extra heavy duty primary tillage applications for rowcrop, cotton and sugarcane.
- High underframe clearance is ideal for deep placement of gas or fertiliser.
- Accepts all standard accessories including 406mm delta.
- Approximate weight: 122kg

Part No: 7020-120

**\$2,270.00** +GST**A44 Shank System**

- Fits 100mm x 100mm Toolbar
- Adjustable Underframe Clearance: 710mm - 825mm
- Shear Pin 5 Tonne Breakout
- Suitable for all heavy duty applications including rowcrop, cotton, sugarcane and vegetables.
- Specially developed for high underframe clearance and deep placement of fertiliser.
- Accepts all standard accessories.
- Approximate weight: 61kg

Part No: 7014-011

**\$1,475.00** +GST**HEAVY DUTY TUNGSTEN  
HARDFACED POINTS**

7004-026

**\$64.00** +GST

Extra Heavy Duty Shank Depth Adjuster

7012-239 **\$360.00** +GST

"A" Shank Depth Adjuster

7012-067 **\$320.00** +GST

"A" Shank

7001-006 **\$210.00** +GST

Shear Pin

0025-063 **\$7.50** +GST



**HDR Hardfaced Middle Shinguard**

7009-118 **\$126.50** +GST



**HDR Tungsten Hardfaced Point**

0083-557 **\$105.60** +GST



**HDR Tungsten Hardfaced Middle Shinguard**

7003-033 **\$104.50** +GST



**HDR Shank**

7009-132 **\$1,705.00** +GST



**HDR Domite Bar**

7050-096 **\$90.00** +GST



**HDR Upper Shinguard**

7009-119 **\$79.00** +GST



**HDR Tungsten Hardfaced Lower Shinguard**

7003-035 **\$119.00** +GST



**HDR Tungsten Hardfaced Upper Shinguard**

7003-037 **\$137.50** +GST

### F77 Shank System

- Fits 178mm x 178mm Toolbar
- 705mm Fixed Underframe Clearance
- Shear Pin 5 Tonne Breakout
- Suitable for all heavy duty applications including rowcrop, cotton, sugarcane and vegetables.
- Accepts all standard accessories
- Approximate weight: 50kg

Part No: 7014-020

**\$693.00** +GST



### F44 Shank System

- Fits 100mm x 100mm Toolbar
- 705mm Fixed Underframe Clearance
- Shear Pin 5 Tonne Breakout
- Suitable for all heavy duty applications including rowcrop, cotton, sugarcane and vegetables.
- Accepts all standard accessories
- Approximate weight: 32kg

Part No: 7014-004

**\$765.00** +GST



### Fixed Clydesdale Shank System

- Fits 178mm x 178mm Toolbar
- 850mm Fixed Underframe Clearance
- Shear Pin 8 Tonne Breakout
- Suitable for extra heavy duty primary tillage applications for rowcrop, cotton and sugarcane.
- High underframe clearance is ideal for deep placement of gas or fertiliser.
- Accepts all standard accessories including 406mm delta.
- Approximate weight: 79kg

Part No: 7020-126

**\$1,440.00** +GST



**F44 Shank Carrier**

7012-026 **\$335.00** +GST



**4" x 4" x 1" U-Bolt w/ Nuts & Spring Washers**

0006-439 **\$33.50** +GST



**"F" Shank**

7008-009 **\$231.00** +GST



**FA77 Shank Carrier Assembly**

7012-102 **\$425.00** +GST

**Spacer Key FA77  
3 x 1**

- Suits new FA Clamp

Part No: 7012-095

**\$29.00** +GST**Spacer Key A77  
3 x 1**

- Suits Old U-Bolt Style

Part No: 7012-019

**\$27.50** +GST**130 x 25 Rowcrop Shank  
w/ Shin guard**

- Fits all 76mm x 25mm Shank Clamps
- Accepts fertiliser tubes, gas deltas and more.
- Adapts to A77 and A44 Clamps
- Approximate weight: 17kg.

Part No: 7020-127

**\$360.00** +GST**3" x 1" Single Inlet  
Fertiliser Shank Assy**

- Fits all 76mm x 25mm shank clamps
- Adapts to A77 and A44 Clamps
- Approximate weight: 13kg

Part No: 7020-142

**\$280.00** +GST**3 x 1 Shank 18"  
Alabama & Mild Steel  
Friction Trip**

- 76 x 25mm Shank
- 457mm High Crown Alabama

Part No: 7020-104

**\$297.00** +GST**3 x 1 Shank**

Part No: 7009-047

**\$107.00** +GST**Friction Trip**

Part No: 7020-028

**\$142.00** +GST**18" Alabama**

Part No: 7019-018

**\$59.50** +GST

**VISIT OUR WEBSITE  
TO VIEW MORE  
GREAT PRODUCTS**

[www.gessner.com.au](http://www.gessner.com.au)

**3 x 1 Rigid Shank  
Assembly to suit 4" Bar**

- Rigid Clamp
- 76 x 25mm Shank
- Mild Steel Friction Trip
- Suits 100 x 100mm toolbar
- Approximate weight: 30kg.

Part No: 7020-137

**\$610.00** +GST**3 x 1 Rigid Shank  
Assembly to suit 7" Bar**

- Rigid Clamp
- 76 x 25mm Shank
- Mild Steel Friction Trip
- Suits 178mm x 178mm Toolbar.
- Approximate weight: 32kg.

Part No: 7020-139

**\$590.00** +GST**3 x 1 Shear Release Shank Assembly to  
suit 4" Bar**

- Shear Release Clamp
- 76 x 25mm Shank
- Mild Steel Friction Trip
- Suits 100 x 100mm Toolbar
- Approximate weight: 35kg

Part No: 7020-202

**\$755.00** +GST**3 x 1 Shear Release Shank Assembly to  
suit 7" Bar**

- Shear Release Clamp
- 76mm x 25mm Shank
- Mild Steel Friction Trip
- 178mm x 178mm Toolbar
- Approximate weight: 38kg

Part No: 7020-136

**\$770.00** +GST




## **Heavy Duty Headstock**

- CAT 3 – Heavy Duty Quick Hitch
- 6 Mounting Brackets.
- Headstock width: 2600mm
- Approximate weight: 257kg.

Part No: 7252-378

**\$5,590.00** +GST




## **Extra Heavy Duty Headstock**

- CAT 3-4 – Heavy Duty Quick Hitch
- 8 Mounting Brackets
- Headstock width: 2600mm
- Approximate weight: 317kg.

Part No: 7252-832

**\$6,900.00** +GST



## **Heavy Duty Depth Wheel Assembly**

- 11.00 x 16 Multi-rib Tyres.
- Approx weight per pair: 330kg.
- Suits 178mm x 178mm Toolbars.

Part No: 7110-118

**\$6,512.00\*** +GST

- Suits 100mm x 100 Toolbars.

Part No: 7110-121

**\$6,630.00\*** +GST



## **750mm Wrap-around Spreader Bar**

- Suits 178mm x 178mm Toolbars.
- Wrap-around clamp plates provide strength and frame flexibility.
- Approximate weight: 53kg.

Part No: 7252-576

**\$780.00** +GST



## **Side Buster Diagonal Brace**

- Suits 178mm x 178mm Toolbar.
- U-Bolt fasteners provide ease of fitment and frame flexibility.
- Suitable for Sidebuster machines.
- Suits 3 bar frame with 750mm spacers and 305mm bridge.

Part No: 7252-912

**\$560.00** +GST



## **Stabiliser Tracking Disc**

- Suits 7" x 7" Toolbars
- Features turnbuckles for depth control
- Heavy duty fabricated tracking frame
- Ø660mm x 10mm Coulter discs
- Approximate Weight: 293kg

Part No: 7259-072

**\$6,480.00** +GST



## **305mm Bridge Support**

- Approximate weight: 16kg.
- Suits 178mm x 178mm Bridge and 178mm x 178mm Toolbar.

Part No: 7252-903

**\$369.00** +GST



**Shin Guard**

7003-031

**\$18.50** +GST**1 Piece Plain Point**

7004-025

**\$25.00** +GST**1 Piece Tungsten Hardfaced Point**

7004-026

**\$64.00** +GST**Weld-on Shank Base**

7001-005

**\$91.00** +GST**Clydesdale Mini Ripper Tungsten Hardfaced Point**

0083-513

**\$55.00** +GST**Shin Guard**

Clydesdale Mini Ripper Row Crop Shank

7003-002

**\$32.00** +GST**Rhino V Ripper Tungsten Hardfaced Point**

0083-512

**\$79.00** +GST**Cast Seeding Point**

w/ 10 tungsten tiles (suites various direct drill tynes)

7019-338

**\$85.00** +GST**300mm Sweep**

7019-241

**\$168.00** +GST**254mm Mulch Blade**

(Pair) w/ Bolt Kit

7019-356

**\$94.00** +GST**406mm Mulch Blade**

(Pair) w/ Bolt Kit

7019-359

**\$105.00** +GST**406mm Heavy Duty Mulch Blade**

(Pair) w/ Bolt Kit

7019-031

**\$192.00** +GST**Single Inlet Fertiliser Tube**

7452-021

**\$120.00** +GST**Straight Tube Maxitil Cold Flow Pipe**

- 5/8" &amp; 3/4" OD

7452-023

**\$107.00** +GST**Gas Delta**

(Pair) w/ Bolts - 155mm Wide

7452-027

**\$173.00** +GST**Cold Flow Delta Tube**

1/2" &amp; 3/4" OD

7452-029

**\$176.00** +GST**Compactor Furrower - Complete**

- Approx. Weight 17kg

7019-066

**\$420.00** +GST**Hiller Wear Blades**

(Pair) w/ Bolt Kit

7019-053

**\$75.00** +GST**2003 Hiller/Furrower Assembly**

- Approx. Weight 35kg

7019-260

**\$810.00** +GST**2003 Hiller Wear Blades**

(Pair) w/ Bolt Kit

7019-261

**\$132.00** +GST





# HYDRAULIC DEEP RIPPERS - HDR



Gessner is a leading manufacturer of quality and efficient deep tillage implements and has designed a Hydraulic Deep Ripper (HDR) to maximise your yield potential this season. For farmers wanting the convenience of hydraulic controlled shanks, the modified MkII Gessner HDR has the flexibility of ripping beyond the standard 300-500mm, to a depth of 700mm.

A heavy-duty 6,500lb breakout force provides flexibility to achieve a maximum tyne depth of 700mm. Our deep rippers come standard with 500mm shank spacing using high quality 32mm high tensile steel and replaceable points and shin guards for quick and effective change out.

However, if you need something unique to suit your farming applications, we can custom build a design for you.

## Product Features:

- 200 x 200 x 12mm RHS main beam with heavy-duty tool bar spaced at 2,100mm for extra stability
- 9, 11 and 13 shank machines designed with a trailing frame
- Shanks manufactured from 32mm wide high tensile Japanese steel for maximum working depth of 700mm
- Parabolic designed shanks for efficient depth to tractor horsepower ratio
- 6,500lb hydraulic release shank assemblies
- 560/60 x 22.5 8 stud configured wheels
- Optional hydraulic controlled crumble roller (600mm)







## LANDMASTER

The Gessner Landmaster is engineered for strength and durability in the field with customised designs and configurations to suit various applications available; this parallelogram planter caters to all broadacre planting requirements. Standard Landmaster formats range from 12 – 24m featuring tyne spacing ranging from 333 to 500mm.

Heavy-duty 3-Bar Gessner frames constructed from 100 x 100 x 9 or 178 x 178 x 9 RHS provides the Landmaster with unmatched strength and durability in the field. Frames also feature optional hydraulic single fold and double fold configurations, making the Landmaster easily transportable between working areas.

Depending on machine size and customer specifications, various linkage options are available, including three-point linkage for smaller machines and floating trailing hitches applicable to all models. The durable frame design, coupled with premium customisable attachments and after-sales services, which is second-to-none, makes the Gessner Landmaster your number one choice for Broadacre planting solutions.



### Parallelogram Tyne

- Parallelogram units feature robust 50 x 25mm spring steel tynes with a working depth range of 25 – 200mm
- Tyne depths are easily adjusted in 12mm increments
- Manutec press wheel assemblies are available in a range of profiles and diameters. Fixed or swivel mounting options for press wheels are available
- True parallelogram action is provided with ground following capabilities via 14" rubber banded depth wheels fitted to 20" coulter
- All pivot points are fitted with chrome pins and oil infused bushes
- Heavy-duty jump cylinders with high quality hard chrome shafts provide units with strength and durability
- Parallelogram down pressure can be easily adjusted by moving the ergonomic hand grip through incremental pin points. Down pressure increments range from 20 – 250kg.







## RHINO DEEP RIPPER



Experience the ultimate in deep tillage solutions with the Gessner Rhino Ripper. Featuring an industry leading 250mm x 150mm x 10mm main beam and high tensile tynes and tungsten wear-parts, the Rhino Ripper is the deepest commercially made ripper on the market with a maximum ripping depth of 900mm.

Gessner's deep rippers are renowned across the country for their strength and reliability, with our rippers known to last for more than several decades with only the need to replace wearable parts.

It's time to experience the unrivalled strength, reliability, and quality of Gessner's agricultural equipment.



### Product Features:

#### Frame

- Super strong 250mm x 150mm x 10mm main beam
- 5 and 7 shank machines available in either three-point linkage or trailing hitch options and 9, 11 and 13 shanks are trailing only
- 5 shank machines feature 7.50 x 16 single compactors, 7 shank machines feature 7.50 x 16 dual compactors and 9, 11 and 13 shank machines feature 9.00 x 20 dual compactors

### Optional Attachments

- Hydraulic crumple rollers available to suit all models
- Extension kits to increase ripper width available on some models

### Rhino Shanks

- 32mm high-tensile shanks with 10 tonne breakout force
- Shanks feature replaceable high-wearing shin guards
- 500mm standard spacing
- 36" (914mm) underframe clearance





## BIG BUCK DEEP RIPPER

### Product Features:

- 178mm x 178mm x 9.5mm RHS toolbars
- Bolted CAT2-3 and CAT 3 three-point linkage hitches or trailing rigid hitch
- Spreader bars – 1000mm on linkage frames / 1400mm on trailing frames
- 194 x 14 wheels on 7 and 9 shank machines / 7.5 x 16 wheels on 11, 13 and 15 shank machines
- F77, A77 and HR tyne assemblies are available in 7, 9, 11, 13 and 15 shank configurations as standard (custom machine sizes and tyne configurations are available to suit customer requirements)
- High quality accumulator and industry standard hydraulic fittings feature on models fitted with HR tynes

### Optional Attachments:

- Shank mounted swivel coulters
- Heavy-duty angle iron crumble roller assemblies to suit various machine sizes
- Ground-driven fertilizer bins

The Gessner Big Buck is a proven performer and one of Australia's most trusted deep ripping implements. Manufactured from premium 350-grade steel, the Big Buck deep ripper is structurally robust and versatile.

Featuring a high strength design, the Big Buck deep ripper boasts quality RHS steel with a fully welded clamp and bolted frame sections, ensuring enhanced performance and unrivalled longevity in the field. Available in both three-point linkage or trailing configurations, the Big Buck comes in various working widths, shank spacings and the option of hydraulic fold larger toolbars. This machine also has the option of hydraulic or shear-release shanks and the ability to configure ground-driven fertiliser bins.



### Big Buck Hydraulic Shank

- Suits 178mm x 178mm Toolbar
- 780mm under frame clearance
- 500mm jump height
- 0 to 1000kg breakout, hydraulically adjustable from tractor
- Recommended for all broadacre and row crop applications in rugged conditions
- Accepts all standard accessories
- Approximate weight: 77kg
- Note: Accumulator kit required

Part No: 7016-130 Bolt On

**\$2,620.00** +GST



### New Style HR Assembly

- Suits 100mm x 100mm Toolbar
- 880mm under frame clearance
- 280mm jump height
- 0 to 1000kg breakout, hydraulically adjustable from tractor
- Recommended for all broadacre and row crop applications in rugged conditions
- Accepts all standard accessories
- Approximate weight: 77kg

Part No: 7016-165

**\$2,915.00** +GST



U-Bolts to suit various toolbar sizes.



Shear Pins



Rolling Cultivator Parts



Bearings and Seals to suit various Gessner implements.



Fertiliser Rig Parts - Variable Drive Gear Box, Metering Roller, Stainless Steel Dropper



Loftness Mulcher Parts





## STOOL SPLITTER & SIDE DRESSERS

### *Cane Twin Disc Opener*

- Suits Side Dressers/Stool Splitters
- 508mm x 5mm Coulter Discs
- Tapered roller bearings
- Unique combination sealing arrangement features in hubs ensuring extra long bearing life
- Adjustable fertiliser dropper to suit various position outlets
- 15" x 80mm spring loaded press wheel

Part No: 7010-510

**\$2,310.00** +GST



### *Cane Twin Disc Opener Stool Zippa Option*

- Suits Side Dressers/Stool Splitters
- 508mm x 5mm Coulter Discs
- Tapered roller bearings
- Unique combination sealing arrangement features in hubs ensuring extra long bearing life
- Adjustable fertiliser dropper to suit various position outlets
- High tensile steel stool zippa closing wheel

Part No: 7010-620

**\$2,420.00** +GST



### *Coulter Fertiliser Applicator (4" x 4")*

- 760mm x 6mm Flat Coulter Disc
- Suits 100 x 100mm Toolbar
- Suits all Big Buck and Bronco models
- High tensile fertiliser shank and tube
- Approximate weight: 135KG.

Part No: 7010-220

**\$2,870.00** +GST

### *Coulter Fertiliser Applicator (7" x 7")*

- 760mm x 6 Flat Coulter Disc
- Suits 178mm x 178mm Toolbar
- Suits all Big Buck and Bronco models
- High tensile fertiliser shank and tube
- Approximate weight: 135kg

Part No: 7010-160

**\$2,770.00** +GST



**Scarimaster Spring Release Tyne Assembly – Straight Tyne with Spear Point & Seed Tube.**

- Suits 100mm x 100mm Toolbar
- Vertically Adjustable 25mm x 50mm tyne.
- Features pin adjustable socket.
- 650lb Spring Release.

Part No: 7017-080


**Scarimaster Spring Release Tyne Assembly – 50° Cultivator Shank (No Sweep).**

- Suits 100mm x 100mm Toolbar
- Vertically Adjustable 25mm x 50mm tyne.
- Features pin adjustable socket.
- 650lb Spring Release.

Part No: 7017-082


**Scarimaster Spring Release Tyne Assembly – Curved Tyne Fitted with Spear Point & Seed Tube.**

- Suits 100mm x 100mm Toolbar
- Vertically Adjustable 25mm x 50mm tyne.
- Features pin adjustable socket.
- 650lb Spring Release.

Part No: 7017-180


**4" x 4" Parallelogram Landmaster Unit**

- Suits 100mm x 100mm Toolbar
- 20" Coulters with depth bands to control depth and cut trash.
- Vertically adjustable 25mm x 50mm curved tyne fitted with spear point and seed tube.
- Press wheel featuring 18" x 2" Manutec Semi-pneumatic tyre.
- Vertical force on coulters at 2000psi can be adjusted from 20kg to 245kg in incremental settings.
- Vertical forces on tyne at 2000psi is 320kg
- Approximate weight: 140kg.

Part No: 7018 L 110 & 7018 R 110


**7" x 7" Parallelogram Landmaster Unit**

- Suits 178mm x 178mm Toolbar
- 20" Coulters with depth bands to control depth and cut trash.
- Vertically adjustable 25mm x 50mm curved tyne fitted with spear point and seed tube.
- Press wheel featuring 18" x 2" Manutec Semi-pneumatic tyre.
- Vertical force on coulters at 2000psi can be adjusted from 20kg to 245kg in incremental settings.
- Vertical forces on tyne at 2000psi is 320kg
- Approximate weight: 140kg.


Part No: 7018 L 120 & 7018 R 120





**Patriot Unit**

- Hydraulic break-out ranging from 300lb to 700lb.
- An underframe working height of 900mm.
- Heavy-duty fabricated parallelogram with a 500mm range of travel; 200mm down, 300mm up (from working height).
- Semi-pneumatic v-shaped press wheels with packing pressure up to 200lb.
- Versatile precision shank with single, dual, paired-row and liquid injection outlet options.
- Standard seeding depth range of 150mm, adjustable in 6mm increments.
- Heavy-duty dual acting cylinder featuring hard-chrome shafts.
- 300mm transport clearance.
- Grade 8 high tensile fasteners.
- Unit weight: 80kg

**Triple Disc Hiller Unit**

- Suits 178mm x 178mm Toolbar.
- Simple Breastcut & Undercut Adjustment.
- Two self-aligning greasable bearings mounted on a 38mm square axle with one 558mm, one 508mm and one 547mm scalloped disc blade spaced 200mm apart.
- Requires 25hp per row.
- Approximate weight: 140kg.

Part No: 7700-041

**Rolling Cultivator Short Pipe Unit**

- Suits 178mm x 178mm Toolbar
- Features 5 spider hard surfaced gang.
- Threaded rod depth adjuster
- Adjustable sliding gang mount for precision row setting.
- Approximate weight: 74kg.

5 Spider Gang Assembly.

Part No: 7352-038

- Short Pipe and Clamp Assembly.

Part No: 7352-039

**Predator Cultivator Unit**

- Suits 178mm x 178mm Toolbar
- 25.4mm Greasable bearings on parallelogram pivot points.
- Optional attachments include crescent knives, beet knives, barring discs, rigid 457mm alabamas, 812mm lifted wing sweeps, 457mm shear pin alabamas, and crop shields.

- Approximate weight: 140kg.

Part No: 7022-182

**Hydraulic Cotton Root Cutter**

- Suits 178mm x 178mm Toolbar
- 450mm x 6mm and 500mm x 6mm cutter discs fitted with trash clearing paddles.
- Adjustable spring-loaded mounting arms.
- Heavy-duty mount construction.
- Concealed greasable tapered roller bearings.
- 90 litre per minute hydraulic oil requirement to drive units.

Part No: 7720-363


**Parallelogram Twin Disc Planter Unit**

- Suits 178mm x 178mm or 100 x 100mm bars.
- 457mm double coulters combine to provide guaranteed placement of seed and fertiliser.
- Unique combination sealing arrangement features in coulters and press wheels ensuring extra long bearing life.
- Press wheels feature heavy duty stubs and provide easily adjustable depth control.
- Press wheels are available in soft, medium or hard rubber depending on application specifications.

Part No: 7500-457



# Contact Your Local Gessner Parts Dealer



**Ayr, QLD** – Rural Quip, 07 4783 5577

**Biloela, QLD** – Milne Bros, 07 4992 1099

**Brandon, QLD** – Tracpower NQ, 07 47841100

**Bundaberg, QLD** – McDonald Murphy, 07 4153 6933

**Cairns, QLD** – Honeycombes Sales & Service, 07 4034 6400

**Emerald, QLD** – Milne Bros, 07 4982 4824

**Goondiwindi, QLD** – Kenway and Clark, 07 4677 9600

**Innisfail, QLD** – Honeycombes Sales & Service, 07 4078 2800

**Ingham, QLD** – Honeycombes Sales & Service, 07 4776 7600

**Mackay, QLD** – McDonald Murphy, 07 4952 4550

**Mareeba, QLD** – Casali Tractors, 07 4092 3841

**Proserpine, QLD** – McDonald Murphy, 07 4945 3590

**Roma, QLD** – Mounts Machinery, 07 4578 8000

**St George, QLD** – St George Machinery, 07 4625 3633

**Yatala, QLD** – KC Farm Equipment, 07 3297 3000

**Ballarat, VIC** – Cervus Equipment, 03 5334 7555

**Echuca, VIC** – Echuca CIH, 03 5482 1733

**Hamilton, VIC** – Cervus Equipment, 03 5572 3522

**Maffra, VIC** – Cervus Equipment, 03 5147 1122

**Pakenham, VIC** – Glenmac, 03 5941 5966

**Terang, VIC** – Cervus Equipment, 03 5592 2388

**Longford, TAS** – Gaffney Machinery, 03 6391 2600

**Somerset, TAS** – Gaffney Machinery, 03 6435 1104

**Condobolin, NSW** – Hutcheon & Pearce, 02 6891 2222

**Finley, NSW** – Hutcheon & Pearce, 03 5883 1655

**Griffith, NSW** – Codemo Machinery, 02 6962 6244

**Gunnedah, NSW** – Wideland Ag, 02 6743 0700

**Harwood Island, NSW** – Shannon Bros, 02 6646 4202

**Moree, NSW** – Kenway and Clark, 02 6750 8300

**Murwillumbah, NSW** – KC Farm Equipment, 02 6672 2555

**Warren, NSW** – Western Farm Machinery, 02 6847 3422

**Wee Waa, NSW** – Kenway and Clark, 02 6795 8400

**Albany, WA** – McIntosh & Son, 08 9847 4255

**Esperance, WA** – McIntosh & Son, 08 9071 1155

**Geraldton, WA** – McIntosh & Son, 08 9960 5500

**Katanning, WA** – McIntosh & Son, 08 9821 7000

**Kulin, WA** – McIntosh & Son, 08 9880 2556

**Kununurra, WA** – ORD Agricultural Equipment, 08 9168 3228

**Merredin, WA** – McIntosh & Son, 08 9041 1099

**Moora, WA** – McIntosh & Son, 08 9651 1488

**Wongin Hills, WA** – McIntosh & Son, 08 9671 1300



**BUILT TO OUTLAST & OUTPERFORM**

20 Molloy Street, Toowoomba QLD Australia

manager@gessner.com.au | www.gessner.com.au

1800 154 654